



[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent & Trademark Office

## Search Results

Search Results for: **[query and internet and users and machine learning]**

Found **178** of **100,321** searched.

## Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 101 - 120 of 178

short listing

Prev Page

1

2

3

4

5

6

7

8

9

Next Page

### 101 Discovery of similarity computations of search engines

77%



King-Kup Liu , Weiyi Meng , Clement Yu

**Proceedings of the ninth international conference on Information and knowledge management** November 2000

### 102 Learning to extract hierarchical information from semi-structured documents

77%



Wai-Yip Lin , Wai Lam

**Proceedings of the ninth international conference on Information and knowledge management** November 2000

### 103 A unified framework for semantics and feature based relevance feedback in image retrieval systems

77%



Ye Lu , Chunhui Hu , Xingquan Zhu , HongJiang Zhang , Qiang Yang

**Proceedings of the eighth ACM international conference on Multimedia** October 2000

The relevance feedback approach to image retrieval is a powerful technique and has been an active research direction for the past few years. Various ad hoc parameter estimation techniques have been proposed for relevance feedback. In addition, methods that perform optimization on multi-level image content model have been formulated. However, these methods only perform relevance feedback on the low-level image features and fail to address the images' semantic content. In this paper, we propo ...

### 104 A prediction system for multimedia pre-fetching in Internet

77%



Zhong Su , Qiang Yang , Hong-Jiang Zhang

**Proceedings of the eighth ACM international conference on Multimedia** October 2000

The rapid development of Internet has resulted in more and more multimedia in Web content. However, due to the limitation in the bandwidth and huge size of the multimedia data, users always suffer from long time waiting. On the other hand, if we can predict the web object or page that the user most likely will view next while the user is viewing the current page, and pre-fetch the content, then the perceived network latency can be significantly reduced. In this paper, we present an n-gram b ...

**105** A semantic transcoding system to adapt Web services for users with 77%



disabilities

Anita W. Huang , Neel Sundaresan

**The fourth international ACM conference on Assistive technologies** November 2000

**106** The Purdue University network-computing hubs 77%



Nirav H. Kapadia , José A. B. Fortes , Mark S. Lundstrom

**ACM Transactions on Modeling and Computer Simulation (TOMACS)** January 2000

Volume 10 Issue 1

This paper describes the Web interface management infrastructure of a functioning network-computing system (PUNCH) that allows users to run unmodified simulation packages at geographically dispersed sites. The system currently contains more than fifty university and commercial simulation tools, and has been used to carry out more than two hundred thousand simulations via the World Wide Web. Dynamically-constructed virtual URLs allow the Web interface management infrastructure to support the ...

**107** Enabling scalable online personalization on the Web 77%



Debra VanderMeer , Kaushik Dutta , Anindya Datta , Krithi Ramamritham , Shamkant B. Navanthe

**Proceedings of the 2nd ACM conference on Electronic commerce** October 2000

**108** Design and implementation of an agent-based intermediary infrastructure for 77%



electronic markets

Gaurav Tewari , Pattie Maes

**Proceedings of the 2nd ACM conference on Electronic commerce** October 2000

**109** Identifying prospective customers 77%



Paul B. Chou , Edna Grossman , Dimitrios Gunopulos , Pasumarti Kamesam

**Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining** August 2000

**110** Efficient clustering of high-dimensional data sets with application to 77%



reference matching

Andrew McCallum , Kamal Nigam , Lyle H. Ungar

**Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining** August 2000

**111** Efficient identification of Web communities 77%



Gary William Flake , Steve Lawrence , C. Lee Giles

**Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining** August 2000

**112** Generation of user profiles for information filtering — research agenda 77%



(poster session)

Tsvi Kuflik , Peretz Shoval

**Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval** July 2000

**113** Incorporating quality metrics in centralized&/distributed information 77%



retrieval on the World Wide Web

Xiaolan Zhu , Susan Gauch

**Proceedings of the 23rd annual international ACM SIGIR conference on Research and**

**114** Application of intelligent agent technology for managerial data analysis and mining 77%



Ranjit Bose , Vijayan Sugumaran

**ACM SIGMIS Database** January 1999

Volume 30 Issue 1

Data analysis and mining technologies help bring business intelligence into organizational decision support systems (DSS). While a myriad of data analysis and mining technologies are commercially available today, organizations are seeing a growing gap between powerful storage (data warehouse) systems and the business users' ability to analyze and act effectively on the information they contain. We contend that to narrow this gap effectively, a data analysis and mining environment is needed that ...

**115** E-commerce over communicators 77%



Mona Singh , Anuj K. Jain , Munindar P. Singh

**Proceedings of the first ACM conference on Electronic commerce** November 1999

**116** Content-based book recommending using learning for text categorization 77%



Raymond J. Mooney , Lorie Roy

**Proceedings of the fifth ACM conference on Digital libraries** June 2000

Recommender systems improve access to relevant products and information by making personalized suggestions based on previous examples of a user's likes and dislikes. Most existing recommender systems use collaborative filtering methods that base recommendations on other users' preferences. By contrast, content-based methods use information about an item itself to make suggestions. This approach has the advantage of being able to recommend previously unrated items to users with unique interests ...

**117** Defining logical domains in a web site 77%



Wen-Syan Li , Okan Kolak , Quoc Vu , Hajime Takano

**Proceedings of the eleventh ACM on Hypertext and hypermedia** May 2000

**118** A multi-agent architecture for process management accommodates unexpected performance 77%



John Debenham

**Proceedings of the 2000 ACM symposium on Applied computing 2000** March 2000

**119** A framework for expressing and combining preferences 77%



Rakesh Agrawal , Edward L. Wimmers

**ACM SIGMOD Record , Proceedings of the 2000 ACM SIGMOD international conference on Management of data** May 2000

Volume 29 Issue 2

The advent of the World Wide Web has created an explosion in the available on-line information. As the range of potential choices expand, the time and effort required to sort through them also expands. We propose a formal framework for expressing and combining user preferences to address this problem. Preferences can be used to focus search queries and to order the search results. A preference is expressed by the user for an entity which is described by a set of named fields; each field can ...

**120** Eddies 77%



Ron Avnur , Joseph M. Hellerstein

**ACM SIGMOD Record , Proceedings of the 2000 ACM SIGMOD international conference on Management of data** May 2000

Volume 29 Issue 2

In large federated and shared-nothing databases, resources can exhibit widely fluctuating characteristics. Assumptions made at the time a query is submitted will rarely hold throughout the duration of query processing. As a result, traditional static query optimization and execution techniques are ineffective in these environments. In this paper we introduce a query processing mechanism called an eddy, which continuously reorders operators in a query plan as it ru ...

---

**Results 101 - 120 of 178**

**short listing**

◀  
Prev  
Page

1 2 3 4 5 6 7 8 9

▶  
Next  
Page

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.